



OHIO DEPARTMENT OF HEALTH

246 North High Street
Columbus, Ohio 43215

614/466-3543
www.odh.ohio.gov

Ted Strickland/Governor

Alvin D. Jackson, M.D./Director of Health

OCT 09 2009

Jeff Mlekush, Vice President
QanTEM Laboratories, LLC
2033 Heritage Park Dr
Oklahoma City, OK 73120

RE: Environmental Lead Laboratory Approval Number E10045

Dear Jeff Mlekush:

The Ohio Department of Health (ODH) Lead Poisoning Prevention Program has reviewed your Environmental Lead Analytical Laboratory application. Your laboratory has met all of the criteria for approval as specified in Chapter 3701-82 of the Ohio Administrative Code (O.A.C.) for the following substance(s):

Air	Dust	Paint	Soil
------------	-------------	--------------	-------------

Your laboratory approval number is **E10045**. The approval will expire on **10/07/2010**.

O.A.C. 3701-82-02 (C) requires you to notify ODH within twenty four hours if for any reason your National Lead Laboratory Accreditation Program (NLLAP) accreditation is denied, revoked, suspended or limited. Additionally, you shall notify ODH within five business days each time your laboratory's NLLAP accreditation as an Environmental Lead Analytical Laboratory is renewed or modified.

O.A.C. 3701-32-14 (A) requires you to submit a copy of your quarterly proficiency testing results from the "Environmental Lead Proficiency Analytical Testing" (ELPAT) program within five business days of receiving the results to ODH.

Please submit the required information by one of the following methods; first class mail to the address listed below, electronic mail to lead@odh.ohio.gov, or facsimile to 614-752-4157.

Ohio Department of Health
DQA, Lead Poisoning Prevention Program
246 North High Street
Columbus, OH 43215

In accordance with Chapter 119. of the Ohio Revised Code, I may propose to deny or revoke the approval of an Environmental Lead Analytical Laboratory if at any time the laboratory does not meet the requirements of the O.A.C. or Chapter 3742. of the Revised Code.

If you have any questions about this approval letter, please contact David Holston at (877) 668-5323.

Sincerely,

Alvin D. Jackson, M.D.
Director of Health

